CATALOGUE · PRICES VALID TILL 31 DEC 2026

Reka industrial hot melt glue guns.

10 guns, 48 nozzles, cartridges and accessories. Genuine Reka from Germany, sold and serviced in India by Mahisa, Mumbai.

Gun	Type	Tank / cartridge	Temperature	1 gun
Reka MS 80	Hand-operated	150 ml	50–200 °C	₹77,180
Reka MS 200	Hand-operated	250 ml	50–200 °C	₹88,730
Reka MS 200.E	Hand-operated	250 ml	30–200 °C	₹96,080
Reka MS 200 LCD	Hand-operated	250 ml	30–205 °C	₹1,09,730
Reka TR 50.5	Air-driven	250 ml	About 170–190 °C	₹1,18,650
Reka TR 55.2 LCD	Air-driven	330 ml	50–210 °C (on request: up to 250 °C)	₹1,81,130
Reka TR 60 LCD	Air-driven	250 ml	About 50–210 °C (on request: up to 250 °C)	₹2,43,600
Reka TR 700	Cartridge	310 ml aluminium cartridge	Fixed at 120 °C	₹1,62,750
Reka TR 70 LCD	Cartridge	310 ml aluminium cartridge	50–210 °C (on request: up to 250 °C)	₹2,12,630
Reka TR 80 LCD	Cartridge	310 ml aluminium cartridge	50–210 °C (on request: up to 250 °C)	₹2,64,600

Prices per gun in ₹, excluding GST (18%), packing and forwarding and freight. Each gun's page in this catalogue shows the price with GST.

+91 98198 09954 (call or WhatsApp) · sales@mahisa.com · hotglueguns.in
Mahisa Packaging Systems LLP, H-204 & 205, Ansa Industrial Estate, Saki Vihar Road, Saki Naka, Andheri East, Mumbai 400 072



HAND-OPERATED · NO COMPRESSOR NEEDED

Reka MS 80.

Mechanical, no compressed air, granulate and pillows. The one to buy if you want the simplest, lowest-cost start.

Can apply, with the right nozzle: Dots, Beads (lines), Wide bands, Several beads at once, Injection into gaps

1 gun	4 or more, each
₹77,180	**₹69,830**
₹91,072 incl. GST	₹82,399 incl. GST

Prices + GST · P&F ₹2,500 per gun + GST · freight extra · valid till 31 Dec 2026

Specifications

Temperature range	50–200 °C
Temperature accuracy	±5 °C
Temperature control	Thermostat
Heat-up time	About 10 min
Tank	150 ml
Power	200 W
Weight	850 g
Drive	Mechanical, hand-operated
Adhesive	Granulate, pillows, chips
Nozzle thread	M12x1.5
Supplied with	Nozzle no. 2 #3911 (Ø1.75 mm); Reka operating manual (PDF copy on request)

Nozzles that fit (29)

In the box: #3911

Dots and beads	#3911, #3901, #3905, #3909, #3902, #3904, #3208, #3240, #1143, #3205, #3206, #3207, #3676, #3502, #3503, #3531, #3906, #3903
Wide bands	#3681, #2642, #3716, #2741
Several beads at once	#3679, #3670, #3671
Injection	#3504, #3677, #3509, #3571

Some nozzles need an adapter or holder. Which one, for each nozzle, is on the gun's page (scan the code).

Choose it if you

- Glue now and then: samples, rework or small batches.
- Have no compressed air on the floor.
- Want the lowest-cost start, with granulate or pillows in a 150 ml tank.

Where it works well

Cartons & boxes · Labels & food packs · Displays

Good places to start, not the only ones. Tell us your job.

Ask us: +91 98198 09954 (call or WhatsApp) · sales@mahisa.com
Mahisa Packaging Systems LLP, H-204 & 205, Ansa Industrial Estate, Saki Vihar Road, Saki Naka, Andheri East, Mumbai 400 072
Authorised Indian Partner of Reka Klebetechnik, Germany · genuine Reka, sold and serviced in India · hotglueguns.in/guns/ms-80/



HAND-OPERATED · NO COMPRESSOR NEEDED

Reka MS 200.

Mechanical, thermostat set with a screwdriver. The one to buy if you run one adhesive at one temperature and never touch the setting.

Can apply, with the right nozzle: Dots, Beads (lines), Wide bands, Several beads at once, Injection into gaps

1 gun	3 or more, each
₹88,730	**₹80,330**
₹1,04,701 incl. GST	₹94,789 incl. GST

Prices + GST · P&F ₹2,500 per gun + GST · freight extra · valid till 31 Dec 2026

Specifications

Temperature range	50–200 °C
Temperature accuracy	±5 °C
Temperature control	Thermostat
Heat-up time	About 5 min
Tank	250 ml
Power	500 W
Weight	1,220 g
Cable	2.5 m
Drive	Mechanical, hand-operated
Adhesive	Granulate, pillows, 43 mm sticks
Nozzle thread	M14
Supplied with	Standard nozzle #12496 (Ø2.0 mm); Reka operating manual (PDF copy on request)
Foot	Magnetic foot: the gun stands upright and stays put on a steel plate or steel table top
Also	On/off switch

Nozzles that fit (25)

In the box: #12496

Dots and beads	#12496, #2324, #2241, #2243, #2242, #3909, #3902, #3904, #3502, #3503, #3531, #3676, #3903
Wide bands	#2244, #2245, #10150, #3716, #2741
Several beads at once	#3679, #3670, #3671
Injection	#12499, #3509, #3571, #3677

Some nozzles need an adapter or holder. Which one, for each nozzle, is on the gun's page (scan the code).

Choose it if you

- Run one adhesive at one temperature and rarely touch the setting.
- Have no compressed air on the floor.
- Use granulate, pillows or large sticks, with a 250 ml tank.

Where it works well

Cartons & boxes · Fabric & nonwovens · Plastics · Labels & food packs · Displays

Good places to start, not the only ones. Tell us your job.

Ask us: +91 98198 09954 (call or WhatsApp) · sales@mahisa.com
Mahisa Packaging Systems LLP, H-204 & 205, Ansa Industrial Estate, Saki Vihar Road, Saki Naka, Andheri East, Mumbai 400 072
Authorised Indian Partner of Reka Klebetechnik, Germany · genuine Reka, sold and serviced in India · hotglueguns.in/guns/ms-200/



HAND-OPERATED · NO COMPRESSOR NEEDED

Reka MS 200.E.

Mechanical, electronic temperature control. The one to buy if you adjust the temperature for flow now and then, or your floor is dusty.

Can apply, with the right nozzle: Dots, Beads (lines), Wide bands, Several beads at once, Injection into gaps

1 gun	3 or more, each
₹96,080	**₹86,630**
₹1,13,374 incl. GST	₹1,02,223 incl. GST

Prices + GST · P&F ₹2,500 per gun + GST · freight extra · valid till 31 Dec 2026

Specifications

Temperature range	30–200 °C
Temperature accuracy	±2 °C
Temperature control	Electronic
Heat-up time	About 5 min
Tank	250 ml
Power	500 W
Weight	1,220 g
Cable	2.5 m
Drive	Mechanical, hand-operated
Adhesive	Granulate, pillows, 43 mm sticks
Nozzle thread	M14
Supplied with	Standard nozzle #12496 (Ø2.0 mm); Reka operating manual (PDF copy on request)
Foot	Magnetic foot: the gun stands upright and stays put on a steel plate or steel table top
Also	Comfort-locking lid

Nozzles that fit (25)

In the box: #12496

Dots and beads	#12496, #2324, #2241, #2243, #2242, #3909, #3902, #3904, #3502, #3503, #3531, #3676, #3903
Wide bands	#2244, #2245, #10150, #3716, #2741
Several beads at once	#3679, #3670, #3671
Injection	#12499, #3509, #3571, #3677

Some nozzles need an adapter or holder. Which one, for each nozzle, is on the gun's page (scan the code).

Choose it if you

- Adjust the temperature for flow now and then. Electronic control holds it within ±2 °C.
- Work somewhere dusty, such as a concrete plant, foundry, sawmill or wood shop. The MS 200.E and MS 200 LCD suit it.
- Have no compressed air on the floor.

Where it works well

Cartons & boxes · Wood · Fabric & nonwovens · Plastics · Labels & food packs

Good places to start, not the only ones. Tell us your job.

Ask us: +91 98198 09954 (call or WhatsApp) · sales@mahisa.com
Mahisa Packaging Systems LLP, H-204 & 205, Ansa Industrial Estate, Saki Vihar Road, Saki Naka, Andheri East, Mumbai 400 072
Authorised Indian Partner of Reka Klebetechnik, Germany · genuine Reka, sold and serviced in India · hotglueguns.in/guns/ms-200-e/



HAND-OPERATED · NO COMPRESSOR NEEDED

Reka MS 200 LCD.

Mechanical, ±2 °C, with a display. The one to buy if operators change adhesive or temperature between jobs.

Can apply, with the right nozzle: Dots, Beads (lines), Wide bands, Several beads at once, Injection into gaps

1 gun	3 or more, each
₹1,09,730	**₹99,230**
₹1,29,481 incl. GST	₹1,17,091 incl. GST

Prices + GST · P&F ₹2,500 per gun + GST · freight extra · valid till 31 Dec 2026

Specifications

Temperature range	30–205 °C
Temperature accuracy	±2 °C
Temperature control	Electronic
Display	Digital LCD
Heat-up time	About 5 min
Tank	250 ml
Power	500 W
Weight	1,220 g
Cable	3.5 m
Drive	Mechanical, hand-operated
Adhesive	Granulate, pillows, 43 mm sticks
Nozzle thread	M14
Supplied with	Standard nozzle #12496 (Ø2.0 mm); Reka operating manual (PDF copy on request)
Foot	Magnetic foot: the gun stands upright and stays put on a steel plate or steel table top
Also	Comfort-locking lid, on/off switch

Nozzles that fit (25)

In the box: #12496

Dots and beads	#12496, #2324, #2241, #2243, #2242, #3909, #3902, #3904, #3502, #3503, #3531, #3676, #3903
Wide bands	#2244, #2245, #10150, #3716, #2741
Several beads at once	#3679, #3670, #3671
Injection	#12499, #3509, #3571, #3677

Some nozzles need an adapter or holder. Which one, for each nozzle, is on the gun's page (scan the code).

Choose it if you

- Change adhesive or temperature between jobs. The display and ±2 °C control make that quick.
- Have no compressed air on the floor.
- Use granulate, pillows or large sticks, with a 250 ml tank.

Where it works well

Cartons & boxes · Displays · Wood · Fabric & nonwovens · Plastics · Labels & food packs

Good places to start, not the only ones. Tell us your job.

Ask us: +91 98198 09954 (call or WhatsApp) · sales@mahisa.com
Mahisa Packaging Systems LLP, H-204 & 205, Ansa Industrial Estate, Saki Vihar Road, Saki Naka, Andheri East, Mumbai 400 072
Authorised Indian Partner of Reka Klebetechnik, Germany · genuine Reka, sold and serviced in India · hotglueguns.in/guns/ms-200-lcd/



AIR-DRIVEN · FOR LONG RUNS

Reka TR 50.5.

Pneumatic, 250 ml tank. The one to buy if you have compressed air and want to stop pumping the handle.

Can apply, with the right nozzle: Dots, Beads (lines), Wide bands, Several beads at once, Injection into gaps

1 gun	3 or more, each
₹1,18,650	**₹1,07,100**
₹1,40,007 incl. GST	₹1,26,378 incl. GST

Prices + GST · P&F ₹2,500 per gun + GST · freight extra · valid till 31 Dec 2026

Specifications

Temperature range	About 170–190 °C
Temperature accuracy	±2 °C
Temperature control	Electronic
Display	Digital LCD
Heat-up time	3–10 min
Tank	250 ml
Power	500 W
Weight	1,200 g
Cable	8.5 m
Drive	Compressed air
Air pressure	0.5–6 bar (start at 2–6)
Adhesive	Granulate, pillows, 43 mm sticks
Nozzle thread	M14
Supplied with	Standard nozzle #2324 (Ø1.0 mm); Reka operating manual (PDF copy on request)

Nozzles that fit (24)

In the box: #2324

Dots and beads	#2324, #2241, #2243, #12496, #2242, #3909, #3902, #3904, #3502, #3503, #3531, #3676, #3903
Wide bands	#2244, #2245, #3716, #2741
Several beads at once	#3679, #3670, #3671
Injection	#12499, #3509, #3571, #3677

Some nozzles need an adapter or holder. Which one, for each nozzle, is on the gun's page (scan the code).

Choose it if you

- Glue for a full shift or on a line. The air pushes the glue, so operators stop pumping the handle.
- Run standard hot melt from granulate, pillows or large sticks, in a 250 ml tank.
- Have compressed air at the workstation. No compressor? We supply the complete setup.

Where it works well

Cartons & boxes · Fabric & nonwovens · Plastics · Labels & food packs · Displays

Good places to start, not the only ones. Tell us your job.

Ask us: +91 98198 09954 (call or WhatsApp) · sales@mahisa.com
Mahisa Packaging Systems LLP, H-204 & 205, Ansa Industrial Estate, Saki Vihar Road, Saki Naka, Andheri East, Mumbai 400 072
Authorised Indian Partner of Reka Klebetechnik, Germany · genuine Reka, sold and serviced in India · hotglueguns.in/guns/tr-50-5/



AIR-DRIVEN · FOR LONG RUNS

Reka TR 55.2 LCD.

Pneumatic, 330 ml, the largest tank in the range. The one to buy if refilling is what slows the line down.

Can apply, with the right nozzle: Dots, Beads (lines), Wide bands, Several beads at once, Injection into gaps

1 gun	2 or more, each
₹1,81,130	**₹1,63,280**
₹2,13,733 incl. GST	₹1,92,670 incl. GST

Prices + GST · P&F ₹2,500 per gun + GST · freight extra · valid till 31 Dec 2026

Specifications

Temperature range	50–210 °C (on request: up to 250 °C)
Temperature accuracy	±2 °C
Temperature control	Electronic
Display	Digital LCD
Heat-up time	3–10 min
Tank	330 ml
Power	600 W
Weight	1,400 g
Cable	8.5 m
Drive	Compressed air
Air pressure	0.5–6 bar (start at 2–6)
Adhesive	Granulate, pillows, 43 mm sticks
Nozzle thread	M14
Supplied with	Standard nozzle #2324 (Ø1.0 mm); Reka operating manual (PDF copy on request)

Nozzles that fit (24)

In the box: #2324

Dots and beads	#2324, #2241, #2243, #12496, #2242, #3909, #3902, #3904, #3502, #3503, #3531, #3676, #3903
Wide bands	#2244, #2245, #3716, #2741
Several beads at once	#3679, #3670, #3671
Injection	#12499, #3509, #3571, #3677

Some nozzles need an adapter or holder. Which one, for each nozzle, is on the gun's page (scan the code).

Choose it if you

- Refill less often: 330 ml, the largest tank in the range.
- Glue for a full shift or on a line, with compressed air.
- Set the temperature from 50 to 210 °C on a display. High temperature on request: up to 250 °C.

Where it works well

Cartons & boxes · Fabric & nonwovens · Plastics · Labels & food packs · Displays

Good places to start, not the only ones. Tell us your job.

Ask us: +91 98198 09954 (call or WhatsApp) · sales@mahisa.com
Mahisa Packaging Systems LLP, H-204 & 205, Ansa Industrial Estate, Saki Vihar Road, Saki Naka, Andheri East, Mumbai 400 072
Authorised Indian Partner of Reka Klebetechnik, Germany · genuine Reka, sold and serviced in India · hotglueguns.in/guns/tr-55-2-lcd/



AIR-DRIVEN · FOR LONG RUNS

Reka TR 60 LCD.

Pneumatic spray, stand and pressure regulator included. The one to buy if you need to cover an area, not lay a line.

Can apply, with the right nozzle: Dots, Beads (lines), Wide bands, Several beads at once, Injection into gaps, Spray, Swirl

1 gun	2 or more, each
₹2,43,600	**₹2,19,450**
₹2,87,448 incl. GST	₹2,58,951 incl. GST

Prices + GST · P&F ₹2,500 per gun + GST · freight extra · valid till 31 Dec 2026

Specifications

Temperature range	About 50–210 °C (on request: up to 250 °C)
Temperature accuracy	±2 °C
Temperature control	Electronic
Display	Digital LCD
Heat-up time	3–10 min
Tank	250 ml
Power	480 W
Weight	1,200 g
Cable	4 m
Drive	Compressed air
Air pressure	0.5–6 bar (start at 2–6)
Adhesive	Granulate, pillows, 43 mm sticks
Nozzle thread	M10
Supplied with	Spray nozzle #12542 (Ø1.0 mm); spray cap #3088; spray spacer (TR 60 LCD) #2616; Reka operating manual (PDF copy on request)
Stand	Included: 2 pressure regulators, 2 gauges

Nozzles that fit (31)

In the box: #12542

Dots and beads	#3208, #3240, #2249, #2247, #1143, #3205, #3206, #2248, #3207, #3909, #3902, #3904, #3676, #3502, #3503, #3531
Wide bands	#2250, #2251, #3716, #2741
Several beads at once	#3679, #3670, #3671
Injection	#3504, #3677, #3509, #3571
Spray	#12542, #12554
Swirl	#3291, #3292

Some nozzles need an adapter or holder. Which one, for each nozzle, is on the gun's page (scan the code).

Choose it if you

- Need to cover an area with a spray, not lay a line.
- Want to start straight away: the stand with its two pressure regulators comes with it (you need compressed air).
- Spray standard hot melt from granulate, pillows or large sticks, in a 250 ml tank.

Where it works well

Foam & upholstery · Cartons & boxes · Fabric & nonwovens · Displays

Good places to start, not the only ones. Tell us your job.

Ask us: +91 98198 09954 (call or WhatsApp) · sales@mahisa.com
Mahisa Packaging Systems LLP, H-204 & 205, Ansa Industrial Estate, Saki Vihar Road, Saki Naka, Andheri East, Mumbai 400 072
Authorised Indian Partner of Reka Klebetechnik, Germany · genuine Reka, sold and serviced in India · hotglueguns.in/guns/tr-60-lcd/



CARTRIDGE · QUICK GLUE CHANGES, REFILLS, PUR

Reka TR 700.

Pneumatic, 310 ml cartridge, fixed at 120 °C. The one to buy if your glue runs at 120 °C, such as PUR at its standard temperature, and you don't want to pay for adjustment you won't use.

Can apply, with the right nozzle: Dots, Beads (lines), Wide bands, Several beads at once, Injection into gaps

1 gun	2 or more, each
₹1,62,750	**₹1,46,480**
₹1,92,045 incl. GST	₹1,72,846 incl. GST

Prices + GST · P&F ₹2,500 per gun + GST · freight extra · valid till 31 Dec 2026

Specifications

Temperature range	Fixed at 120 °C
Temperature accuracy	±5 °C
Temperature control	Thermostat
Heat-up time	3–10 min (cold cartridge: about 20 min)
Cartridge	310 ml aluminium cartridge
Power	400 W
Cable	8.5 m
Drive	Compressed air
Air pressure	0.5–6 bar (start at 2–6)
Adhesive	310 ml aluminium cartridges, refillable cartridge: granulate and pillows
Nozzle thread	M10
Supplied with	Cartridge adapter for dots and lines #2958; standard nozzle #1143 (Ø1.9 mm); 2 refillable 310 ml cartridges (#3492); Reka operating manual (PDF copy on request)

Nozzles that fit (27)

In the box: #1143

Dots and beads	#1143, #3208, #3240, #2249, #2247, #3205, #3206, #2248, #3207, #3909, #3902, #3904, #3676, #3502, #3503, #3531
Wide bands	#2250, #2251, #3716, #2741
Several beads at once	#3679, #3670, #3671
Injection	#3504, #3677, #3509, #3571

Some nozzles need an adapter or holder. Which one, for each nozzle, is on the gun's page (scan the code).

Choose it if you

- Change glues quickly: swap the cartridge, no tank to drain.
- Don't need to adjust anything: it runs at a fixed 120 °C, which suits PUR at its standard temperature.
- Want quick refills: keep a filled cartridge hot in a preheater and swap it in.

Where it works well

Plastics · Fabric & nonwovens

Good places to start, not the only ones. Tell us your job.

Ask us: +91 98198 09954 (call or WhatsApp) · sales@mahisa.com
Mahisa Packaging Systems LLP, H-204 & 205, Ansa Industrial Estate, Saki Vihar Road, Saki Naka, Andheri East, Mumbai 400 072
Authorised Indian Partner of Reka Klebetechnik, Germany · genuine Reka, sold and serviced in India · hotglueguns.in/guns/tr-700/



CARTRIDGE · QUICK GLUE CHANGES, REFILLS, PUR

Reka TR 70 LCD.

Pneumatic, 310 ml cartridge, adjustable 50 to 210 °C. The one to buy if you change glues often, each at its own temperature, PUR included.

Can apply, with the right nozzle: Dots, Beads (lines), Wide bands, Several beads at once, Injection into gaps

1 gun	2 or more, each
₹2,12,630	**₹1,91,630**
₹2,50,903 incl. GST	₹2,26,123 incl. GST

Prices + GST · P&F ₹2,500 per gun + GST · freight extra · valid till 31 Dec 2026

Specifications

Temperature range	50–210 °C (on request: up to 250 °C)
Temperature accuracy	±2 °C
Temperature control	Electronic
Display	Digital LCD
Heat-up time	3–10 min (cold cartridge: about 20 min)
Cartridge	310 ml aluminium cartridge
Power	600 W
Cable	8.5 m
Drive	Compressed air
Air pressure	0.5–6 bar (start at 2–6)
Adhesive	310 ml aluminium cartridges, refillable cartridge: granulate and pillows
Nozzle thread	M10
Supplied with	Cartridge adapter for dots and lines #2958; standard nozzle #1143 (Ø1.9 mm); 2 refillable 310 ml cartridges (#3492); Reka operating manual (PDF copy on request)

Nozzles that fit (27)

In the box: #1143

Dots and beads	#1143, #3208, #3240, #2249, #2247, #3205, #3206, #2248, #3207, #3909, #3902, #3904, #3676, #3502, #3503, #3531
Wide bands	#2250, #2251, #3716, #2741
Several beads at once	#3679, #3670, #3671
Injection	#3504, #3677, #3509, #3571

Some nozzles need an adapter or holder. Which one, for each nozzle, is on the gun's page (scan the code).

Choose it if you

- Change glues often: swap the cartridge, no tank to drain, and set each glue's temperature from 50 to 210 °C.
- Want quick refills: a filled cartridge kept hot in a preheater goes straight in.
- Glue with standard hot melt or PUR, held within ±2 °C on a display.

Where it works well

Plastics · Fabric & nonwovens

Good places to start, not the only ones. Tell us your job.

Ask us: +91 98198 09954 (call or WhatsApp) · sales@mahisa.com
Mahisa Packaging Systems LLP, H-204 & 205, Ansa Industrial Estate, Saki Vihar Road, Saki Naka, Andheri East, Mumbai 400 072
Authorised Indian Partner of Reka Klebetechnik, Germany · genuine Reka, sold and serviced in India · hotglueguns.in/guns/tr-70-lcd/



CARTRIDGE · QUICK GLUE CHANGES, REFILLS, PUR

Reka TR 80 LCD.

Pneumatic cartridge, spray or bead, standard hot melt or PUR. The one to buy if you want one gun that does all of it.

Can apply, with the right nozzle: Dots, Beads (lines), Wide bands, Several beads at once, Injection into gaps, Spray, Swirl

1 gun	2 or more, each
₹2,64,600	**₹2,38,350**
₹3,12,228 incl. GST	₹2,81,253 incl. GST

Prices + GST · P&F ₹2,500 per gun + GST · freight extra · valid till 31 Dec 2026

Specifications

Temperature range	50–210 °C (on request: up to 250 °C)
Temperature accuracy	±2 °C
Temperature control	Electronic
Display	Digital LCD
Heat-up time	3–10 min (cold cartridge: about 20 min)
Cartridge	310 ml aluminium cartridge
Power	650 W
Cable	4 m
Drive	Compressed air
Air pressure	0.5–6 bar (start at 2–6)
Adhesive	310 ml aluminium cartridges (PUR, EVA, PA, PO), refillable cartridge: granulate and pillows
Nozzle thread	M10
Supplied with	Cartridge adapter for spray (with 2 O-rings) #2960; spray spacer (TR 80 LCD) #2606; spray nozzle #12542 (Ø1.0 mm); spray cap #3088; 2 refillable 310 ml cartridges (#3492); Reka operating manual (PDF copy on request)
Stand	Included: 2 pressure regulators, 2 gauges

Nozzles that fit (32)

In the box: #12542

Dots and beads	#3208, #3240, #2249, #2247, #1143, #3205, #3206, #2248, #3207, #3909, #3902, #3904, #3676, #3502, #3503, #3531, #3903
Wide bands	#2250, #2251, #3716, #2741
Several beads at once	#3679, #3670, #3671
Injection	#3504, #3677, #3509, #3571
Spray	#12542, #12554
Swirl	#3291, #3292

Some nozzles need an adapter or holder. Which one, for each nozzle, is on the gun's page (scan the code).

Choose it if you

- Want one gun for beads and spray, with quick glue changes by cartridge, PUR included.
- Want a proper spray: the spray air is heated and set separately from the glue air.
- Want to start straight away: the stand with its two pressure regulators comes with it (you need compressed air).

Where it works well

Foam & upholstery · Fabric & nonwovens · Plastics

Good places to start, not the only ones. Tell us your job.

Ask us: +91 98198 09954 (call or WhatsApp) · sales@mahisa.com

Mahisa Packaging Systems LLP, H-204 & 205, Ansa Industrial Estate, Saki Vihar Road, Saki Naka, Andheri East, Mumbai 400 072

Authorised Indian Partner of Reka Klebetechnik, Germany · genuine Reka, sold and serviced in India · hotglueguns.in/guns/tr-80-lcd/

Nozzles.

Every nozzle we supply, by part number. Which guns each one fits, and any adapter or holder it needs on each gun, is on its page at hotglueguns.in/nozzles/<part number>/.

Part no.	Type	Bore / size	Thread	Measurements	Fits
#1143	Standard nozzle	Ø1.9 mm	M10	–	MS 80, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#2241	Nozzle no. 2	Ø1.75 mm	M14	–	MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD
#2242	Nozzle no. 3	Ø2.5 mm	M14	–	MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD
#2243	Pointed nozzle	Ø1.75 mm	M14	–	MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD
#2244	Slit nozzle	18 × 0.5 mm	M14	–	MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD
#2245	Slit nozzle	10 × 0.5 mm	M14	–	MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD
#2247	Nozzle no. 2	Ø1.75 mm	M10	–	TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#2248	Nozzle no. 3	Ø2.5 mm	M10	–	TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#2249	Pointed nozzle	Ø1.75 mm	M10	–	TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#2250	Slit nozzle	18 × 0.5 mm	M10	–	TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#2251	Slit nozzle	10 × 0.5 mm	M10	–	TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#2324	Standard nozzle	Ø1.0 mm	M14	–	MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD
#2642	Slit nozzle	10 × 0.5 mm	M12x1.5	–	MS 80
#2741	Slit nozzle top	10 × 0.5 mm	M6	–	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3051	Spray nozzle	Ø1.0 mm	M10	–	TR 60 LCD, TR 80 LCD
#3205	Threaded nozzle (closable)	Ø1.9 mm	M10	–	MS 80, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3206	Threaded nozzle (closable)	Ø2.5 mm	M10	–	MS 80, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3207	Threaded nozzle (closable)	Ø3.0 mm	M10	–	MS 80, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3208	Threaded nozzle (closable)	Ø1.0 mm	M10	–	MS 80, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3240	Threaded nozzle (closable)	Ø1.5 mm	M10	–	MS 80, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3291	Spiral spray nozzle	Ø1.0 mm	M10	–	TR 60 LCD, TR 80 LCD
#3292	Spiral spray nozzle	Ø1.5 mm	M10	–	TR 60 LCD, TR 80 LCD
#3502	Nozzle insert long	Ø4.0 mm	M6	tip 45 mm, Ø 6 mm outside	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3503	Nozzle insert diagonal (fillet)	Ø4.0 mm	M6	tip 26.5 mm, Ø 6 mm outside	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3504	Injection needle	Ø1.5 mm	M10	–	MS 80, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3509	Injection needle	Ø1.5 mm	M6	tip 10 mm, Ø 2 mm outside	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3531	Nozzle insert flat	5.5 × 1.5 mm	M6	tip 45 mm, Ø 6 mm outside	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD

Part no.	Type	Bore / size	Thread	Measurements	Fits
#3571	Injection needle	Ø1.8 mm	M6	tip 15 mm, Ø 3 mm outside	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3670	2-hole nozzle	Ø1.5 mm	UNF 5/16	12.6 mm wide, holes 8 mm apart	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3671	3-hole nozzle	Ø1.5 mm	UNF 5/16	12.6 mm wide, holes 5 mm apart	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3676	Extension nozzle, diagonal	Ø3.0 mm	UNF 5/16	tip 30 mm, Ø 4.8 mm outside	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3677	Needle jet	Ø1.2 mm	UNF 5/16	tip 30 mm, Ø 5 mm outside	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3679	5-hole nozzle	Ø1.0 mm	UNF 5/16	19.6 mm wide, holes 3 mm apart	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3681	Slit nozzle	18 × 0.5 mm	M12x1.5	tip 26 mm	MS 80
#3716	Slit nozzle top	18 × 0.5 mm	M6	–	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3901	Pointed nozzle	Ø1.75 mm	M12x1.5	tip 30 mm	MS 80
#3902	Pointed nozzle top	Ø1.75 mm	M6	tip 30 mm	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3903	Nozzle top no. 1	Ø1.0 mm	M6	–	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 80 LCD
#3904	Nozzle top no. 3	Ø2.5 mm	M6	tip 15 mm	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3905	Nozzle no. 3	Ø2.5 mm	M12x1.5	tip 15 mm	MS 80
#3906	Nozzle no. 1	Ø1.0 mm	M12x1.5	–	MS 80
#3909	Nozzle top no. 2	Ø1.75 mm	M6	tip 15 mm	MS 80, MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD, TR 60 LCD, TR 700, TR 70 LCD, TR 80 LCD
#3911	Nozzle no. 2	Ø1.75 mm	M12x1.5	tip 15 mm	MS 80
#10150	Slit nozzle top	45 mm wide	M6	–	MS 200, MS 200.E, MS 200 LCD
#12496	Standard nozzle	Ø2.0 mm	M14	–	MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD
#12499	Injection needle	Ø1.5 mm	M14	–	MS 200, MS 200.E, MS 200 LCD, TR 50.5, TR 55.2 LCD
#12542	Spray nozzle	Ø1.0 mm	M10	–	TR 60 LCD, TR 80 LCD
#12554	Wide spray nozzle (90°)	Ø1.0 mm	M10	–	TR 60 LCD, TR 80 LCD

Spares and accessories.

Stands and bench

Part no.	Item	Fits	Price
#1266	Stand with pressure regulator and gauge	TR 50.5, TR 55.2 LCD, TR 700 and TR 70 LCD	₹40,950
#3746	Bench mount (stationary equipment)	TR 50.5, TR 55.2 LCD, TR 700 and TR 70 LCD (on stand #1266)	On request
#2100	Storage plate	MS 200, MS 200.E and MS 200 LCD (magnetic foot)	On request
#3544	Spring balancer	All Reka guns	On request
#10436	Suspension for hanging the gun on the spring balancer	By gun model	On request

Hands-free

Part no.	Item	Fits	Price
#3518	Footswitch	All TR guns (they run on compressed air)	On request

Cartridges and preheaters

Part no.	Item	Fits	Price
#3492	Refillable 310 ml cartridge	TR 700, TR 70 LCD and TR 80 LCD	₹18,560
#7099	Single-use empty cartridge (incl. one-use piston)	TR 700, TR 70 LCD and TR 80 LCD	₹1,290
#2658	Lid set for the refillable cartridge	TR 700, TR 70 LCD and TR 80 LCD	₹600
#5143	Cartridge preheater KVG.LCD	Cartridge guns	₹1,24,430
#5398	Cartridge preheater KVG.2 (2 cartridges, fixed about 125 °C)	Cartridge guns	On request

Bulk melting

Part no.	Item	Fits	Price
#5563	VSB 40 pre-melter (4 L, also takes blocks)	All Reka guns	₹2,67,230

Cleaning and wear parts

Part no.	Item	Fits	Price
#2265	Dyeclean cleaning agent	All Reka guns	On request
#3705, 2621, 895, 2695, 2692	Wear-part sets, O-rings, spare lid (by model)	By gun model	On request

Terms, in short.

- Prices in ₹, excluding GST, packing and forwarding (₹2,500 per gun, plus GST) and freight. Valid till 31 Dec 2026.
- Payment: guns 50% advance, 50% before dispatch; spares and accessories 100% before dispatch.
- Delivery in 4–5 weeks from the advance payment, a confirmed order and the details we need.
- 6-month warranty from Mahisa against manufacturing defects; wear parts excluded. Reka's operating manual comes with every gun.
- Full terms, warranty and returns: hotglueguns.in/terms/ · /warranty/ · /returns-and-cancellation/

Mahisa Packaging Systems LLP, H-204 & 205, Ansa Industrial Estate, Saki Vihar Road, Saki Naka, Andheri East, Mumbai 400 072 · +91 98198 09954 · sales@mahisa.com · hotglueguns.in